Specifications

SQUARE D



Mini circuit breaker, QO, 15A, 1 pole, 120/240VAC, 10kA, plug in

QO115

Main

Product	Miniature circuit-breaker	
Range	QO	
Current Rating	15 A	
Voltage Rating	120/240 V AC 120 V AC	
Mounting Type	Plug-in	
Number of Poles	1P	
Circuit Breaker Type	Standard	
Ratings	HACR and Switching Duty rated	
Electrical Connection	Pressure plate	

Complementary

Interrupt Rating	10 kA 120/240 V AC 10 kA 120 V AC
Number of Panel Spaces	1
Wire Size	AWG 14AWG 8 copper or aluminum
Tightening Torque	35.4 lbf.in (4 N.m)
Height	3.0 in (76 mm)
Width	0.7 in (19 mm)
Depth	2.9 in (74 mm)
Net weight	0.300 lb(US) (0.136 kg)

Environment

Certifications	UL listed CSA
Ambient Rating	104 °F (40 °C)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.71 in (1.8 cm)
Package 1 Width	3.03 in (7.7 cm)
Package 1 Length	3.31 in (8.4 cm)

Package 1 Weight	4.3 oz (123 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.23 in (8.2 cm)
Package 2 Width	3.31 in (8.4 cm)
Package 2 Length	7.64 in (19.4 cm)
Package 2 Weight	2.820 lb(US) (1.279 kg)
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	6.93 in (17.6 cm)
Package 3 Width	8.11 in (20.6 cm)
Package 3 Length	17.20 in (43.7 cm)
Package 3 Weight	28.739 lb(US) (13.036 kg)

Contractual warranty

Warranty

18 months

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

${\mathcal Q}$ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	18
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances		
Packaging made with recycled cardboard	No	
Packaging without single use plastic	Yes	
EU RoHS Directive	Compliant	
SCIP Number	Af42fb01-813d-40c0-ae28-b8b3299dbc99	
REACh Regulation	REACh Declaration	
Halogen content performance	Halogen free product	

Use Again

℃ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Product data sheet

Image of product / Alternate images

Alternative

I/ON

15

10 kA





Jul 22, 2025

