Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





Tandem mini circuit breaker, QO, 2 x 1 pole at 15A, 120/240VAC, 10kA, plug in

QO1515

Main

Product	Miniature circuit-breaker	
Range	QO	
Current Rating	15 A	
Voltage Rating	120/240 V AC	
Mounting Type	Plug-in	
Number of Poles	1P	
Circuit Breaker Type	Tandem	
Ratings	HACR rated	
Electrical Connection	Box lugs	

Complementary

Interrupt Rating	10 kA 120/240 V AC	
Number of Panel Spaces	1	
Wire Size	AWG 14AWG 8 copper or aluminum	
Tightening Torque	35.4 lbf.in (4 N.m)	
Height	3.2 in (82 mm)	
Width	0.7 in (19 mm)	
Depth	2.9 in (74 mm)	
Net weight	0.280 lb(US) (0.127 kg)	

Environment

Certifications	UL listed CSA	
Ambient Rating	104 °F (40 °C)	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.30 in (8.382 cm)
Package 1 Width	0.80 in (2.032 cm)
Package 1 Length	3.30 in (8.382 cm)
Package 1 Weight	5.120 oz (145.149 g)

Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	4.00 in (10.160 cm)
Package 2 Width	3.80 in (9.652 cm)
Package 2 Length	7.60 in (19.304 cm)
Package 2 Weight	3.391 lb(US) (1.538 kg)
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	8.30 in (21.082 cm)
Package 3 Width	8.30 in (21.082 cm)
Package 3 Length	19.80 in (50.292 cm)
Package 3 Weight	34.489 lb(US) (15.644 kg)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	18
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
SCIP Number	Af42fb01-813d-40c0-ae28-b8b3299dbc99
REACh Regulation	REACh Declaration
Halogen content performance	Halogen free product

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No