Specifications

SQUARE D

Thermal Unit, Type S, Type B, melting alloy, Class 20



Main

Range of product	В
Thermal overload type	Melting alloy
Motor tripping class	20

B15.5

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.80 in (2.032 cm)
Package 1 Width	1.20 in (3.048 cm)
Package 1 Length	2.40 in (6.096 cm)
Package 1 Weight	0.640 oz (18.144 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	6
Package 2 Height	0.80 in (2.032 cm)
Package 2 Width	3.40 in (8.636 cm)
Package 2 Length	4.90 in (12.446 cm)
Package 2 Weight	4.32 oz (122.47 g)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

Use Better

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Not applicable, out of EU RoHS legal scope	
PVC free	Yes	


Use Again

${igvarrow}$ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Product data sheet

Technical Illustration

Dimensions



ALL DIMENSIONS ARE APPROXIMATE. ALSO SEE CAD, TECHNICAL DRAWINGS, AND DOCUMENTATION.