

Eaton SGFD20W

Catalog Number: SGFD20W

Eaton Blankface GFCI, Self-test, #14 - 10 AWG, 20A, Residential, Commercial, Flush, 125 V, GFCI, Back and side wire, White, Brass, Blankface, Thermoplastic, Two-pole, Three-wire, Two-pole, three-wire, grounding



General specifications

| | |
|----------------------|----------------------|
| Product Name | Catalog Number |
| Eaton blankface GFCI | SGFD20W |
| UPC | Product Length/Depth |
| 032664750069 | 2.041 in |
| Product Height | Product Width |
| 4.751 in | 2.97 in |
| Product Weight | Certifications |
| 0.01 lb | cULus Listed NOM |

Product specifications

Device type

Receptacle
Blankface

Type

Self-test

Amperage Rating

20A

Voltage rating

125V

Circuit interrupter type

GFCI

Contact material

Brass

Application

Residential
Commercial

Wiring method

Back and side wire

Allowable wire size

#14 - 10 AWG

NEMA configuration

5-20R

Torque rating

16 lbf-inch

Number of wires

Three-wire

Mounting method

Flush

Number Of Poles

Two-pole

Color

White

Face/body material

PVC
Thermoplastic

Resources

Installation instructions

[Installing and testing a GFCI receptacle instruction sheet](#)

Multimedia

[What is a Ground Fault Circuit Interrupting \(GFCI\) receptacle?](#)

Specifications and datasheets

[Eaton Specification Sheet - SGFD20W](#)

[Arrow Hart specification grade GFCI receptacles spec sheet](#)

[Arrow Hart self-test GFCI receptacles with audible alarm spec sheet](#)

Receptacle type

Two-pole, three-wire, grounding



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)